

**ANALYZED BY:**

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124  
C8-0000052-LIC

**CUSTOMER:**

CODE Health  
2448 Martha Lane  
Land O Lakes, FL 34639

**SAMPLE INFORMATION**

**Sample No.:** 1213039  
**Product Name:** CODE SLIM (Weight Loss Formula)

**Date Collected:** 04/26/2024  
**Date Received:** 04/26/2024  
**Date Reported:** 05/14/2024

**TEST SUMMARY**

**Microbiological Screen:**  Tested  
**Chemistry:**  Tested

**Heavy Metal Screen:**  Tested

**Microbiological Screen**

05/10/2024

**Method:** FDA BAM

Analyte	Findings	Units
Coliforms	<10	cfu/ml
E. coli	<10	cfu/ml
Standard Plate Count	<10	cfu/ml

**Heavy Metal Screen**

05/02/2024

**Instrument:** ICP-MS

Analyte	LOD / LOQ (ppm)	ppm
Arsenic	0.004/0.016	ND
Cadmium	0.001/0.004	ND
Mercury	0.001/0.004	<LOQ
Lead	0.001/0.004	ND

**Chemistry**

05/08/2024

**Method:** AOAC 937.09

Analyte	%
Moisture	99.11
pH	5.61
Salt	0.81

ND = None Detected  
LOD = Limit of Detection  
LOQ = Limit of Quantitation

All LQC samples were performed and met the acceptance criteria in CCR Title 4 Division 19, Chapter 6, Article 7, §15730, pursuant to §15726.(e)(13).

Reported by




Amanda Eisenberg  
Compliance Rep

May 14, 2024



Scan to verify